


DIGITAL SIGNAGE &
DISPLAY ADVERTISING



Better display . Best experience




Ultra - vision LED Screen Technology

One Digitalis provides advanced technology in turnkey functional solution

- * Specific Architectural designs like round, curve, concave convex and curtain screens
- * Media player with software enables cloud based contents management system
- * Developed digital video / graphic processing system and its customized solution

Super-pixel LED Technology

Super pixel with SMD (surface mount diode) and Prism Amplified Lens tech.
Pixel available as P1 mm , P2 mm , P3 mm, up to P7 mm for indoor and outdoor



Digital Uniformity Calibration and 32 bit color depth processing

OFF Calibration Tech ON

Graph 1: Eye, CRT, LED comparison

16 bit 32 bit

Processing to assemble LED screen

LED Manufacturing LED single Delivered Bin Arrangement Full depth calibration Hardware calibration RGB color adjustment


Commercial Video Wall Technology

Commercial signage monitor has big advantage than in general TV screen.

- * 3 times brighter than regular TV such as home appliance TV.
- * HDR technology with high contrast ratio and efficient LED backlights to satisfy.
- * Color and its gamma correction is deep consolidation.



VIDEO WALL bezel demo



High demand quality for video wall signage with 1.8 mm bezel such as a Commercial TV.



Digital signage for menu board and Promotion board

One Digitalis provides HDR technology with quantum dot wide to present astonishingly crisp and vivid image.

The pixel per inch represents the number of pixels per square inch. Higher PPI means more deep resolution.




Selection of size available from 32" up to 65" and One Digitalis provides high brand product such as LG, SAMSUNG and etc.

Contents Management System

One Digitalis creates software to control contents cloud based CMS to media player that are multi function platform to provide a consistent look and feel across all interactive applications within at any location.

Advantage CRM Platform

- * 24 hours monitoring all screens and data signal.
- * Platform to achieve client-specific data management objective through APIs and data storage to the cloud server.
- * Omni-Channel contents distribution and IoT, loAT, internet network.
- * Easy to access to control contents data from at any where through GPS location.
- * Provides back up system in case of wireless communication malfunction or loss signal at the location.



In-house production

One Digitalis provides contents design with motion graphic, video technology, and photographs with top expert in video, photography, and graphic design as same quality as TV commercial advertising.

LED Screen Indoor & Outdoor



Actual 3D modeling for presentation to client in 2018 at Garden Square.
2 billboards with 12 ft x 5.7 ft. / Viewing distance 200 ft / Brightness 10,000 nits



Commercial LED Billboard

Designed and Engineering
by One Digitalis, LLC.
Digital advertising display
operated by Ad One Now, LLC.

Specification LED Screen.
Pitch pixel 2.5 mm
Brightness 15,000 nits
Contrast Ratio: 8,000 : 1
LED dimension: 512 mm x 512 mm
LED Module : Samsung LED chip.

One Digitalis provides design contents with motion graphic, Animation, and 3D redering at in - house - production. and technical department continues to improve advanced technology in digital signage with video engineering.

LED Screen Indoor & Outdoor



Actual 3D modeling for presentation to client in 2018 at Garden Square.
2 billboards with 12 ft x 5.7 ft. / Viewing distance 200 ft / Brightness 10,000 nits



Commercial LED Billboard

Designed and Engineering
by One Digitalis, LLC.
Digital advertising display
operated by Ad One Now, LLC.

Specification LED Screen.
Pitch pixel 2.5 mm
Brightness 15,000 nits
Contrast Ratio: 8,000 : 1
LED dimension: 512 mm x 512 mm
LED Module : Samsung LED chip.

One Digitalis provides design contents with motion graphic, Animation, and 3D redering at in - house - production. and technical department continues to improve advanced technology in digital signage with video engineering.

LED Curtain Transparent Screen

Flexible LED Curtain


Specification :

Pitch Pixel P 10


Contrast ratio : 5000 : 1 /

Brightness : 5500 nit (cm2)

Module dimension: 1000 mm x 500 mm



Clear view
Resolution support 4k



Other kiosk Display with UHD 4K LED screen

One Digitalis provides also KIOSK Display with stand alone.

With cloud based contents management to display at anywhere, whatever they want to display with timmer set.

Available size from 49 inch, 55 inch, and 65 inch. with commercial sigange LED screen.




ONE
DIGITALIS
DIGITAL DISPLAY TECHNOLOGY

New Jersey : 395 Broad Ave. Suite#2. Ridgefield, NJ 07024
New York : 635 West 42nd St. New York, NY 10036

New Jersey Office : 201 - 515 - 0094
New York Office: 646 - 875 - 0122

PRODUCT HIGHLIGHTS

Quick review the proven quality on the latest product in 2019




OUTDOOR LED SCREEN

*LED Module
SMD 2020*

*Pitch pixel
1.8 mm*

*Brightness
8,000 nit*

*Dimension
500 x 1000 (mm)*



INDOOR LED SCREEN

*LED Module
SMD 1930*

*Pitch pixel
2.5 mm*

*Brightness
12,000 nit*

*Dimension
500 x 500 (mm)*



**KIOSK STAND
LG Commercial TV**

*Resolution
4K FHD*

*Brightness
2,500 nit*

*Size available
49", 55", 65", 75"*



**Samsung
Digital signage**

*Brightness
500 nit up to 2,500 nit*

*Size available
49", 55", 65", 75"*

Best purpose in use

- Menu board, PR Board
- Advertising display
- Information board
- Size available 49", 55", 65", 75"



**LG OLED
Digital signage**

**Resolution
8K, 4K, 3840X2160**

*Brightness
500 nit up to 2,500 nit*

Best purpose in use

- Menu board, PR Board
- Advertising display
- Information board
- Size available 49", 55", 65", 75"

Authorized Dealer and
Certified technical support





www.onedigitalis.com

One Digitalis, LLC

Sales Rep: 201 - 515 - 0094

info@onedigitalis.com

395 Broad ave. Ridgefield, NJ 07657